

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE


In re Patent Application of

MERBOTH ET AL

Serial No.: 10/092,489

Filed: March 8, 2002

For: PACKAGE WITH INSERT FOR  
HOLDING ALLOGRAFT  
IMPLANT TO PRECLUDE LIPID  
TRANSFER.



CUSTOMER SERVICE CENTER

INITIAL PATENT EXAMINATION  
DIVISION

The Honorable Commissioner of  
Patents and Trademarks  
Washington, D.C. 20231

Sir:

RESPONSE TO NOTICE TO FILE CORRECTED  
APPLICATION PAPERS

Responsive to the Office Action of April 8, 2002, applicant responds as follows:


REMARKS

Applicant submits herewith six (6) sheets of substitute formal drawings in compliance with 37CFR 1.84 which meet the required margin requirements.


Prompt examination is respectfully requested.

Respectfully submitted,

GIPPLE &amp; HALE

  
\_\_\_\_\_  
John S. Hale  
Registration No. 25,209

6665-A Old Dominion Drive  
McLean, Virginia 22101  
(703) 4448-1770 ext. 304  
Attorney Reference: X-9353



## UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/092,489	03/08/2002	Barbara L. Merboth	X-9353

CONFIRMATION NO. 1281

## FORMALITIES LETTER



\*OC00000007821495\*

John S. Hale  
c/o Gipple & Hale  
6665-A Old Dominion Drive  
McLean, VA 22101

Date Mailed: 04/08/2002

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

*Filing Date Granted*

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE